

	Application No.	Applicant(s)
Notice of Allowability	10/718,374	KATES, LAWRENCE
	Examiner	Art Unit
	George A. Bugg	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Amendment of 11/03/2006.		
2. The allowed claim(s) is/are <u>1-13</u> .		
 3. Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	(PTO-413), te
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. X Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
	9.	٠.
		•

Application/Control Number: 10/718,374

Art Unit: 2612

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lee Henderson on 01/10/2007.

The application has been amended as follows: On line 9 of claim 1, insert the following between "a first fluorescent bulb" and "configured to replace a standard fluorescent bulb," --- ,in conjunction with said repeater, ---

Allowable Subject Matter

- 2. Claims 1-13 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: Prior art fails to teach or suggest a repeater for mounting to an electrically powered fluorescent light fixture, which incorporates a transceiver, a first power supply, and a plug configured to mate with the socket of a fluorescent light fixture. Further claimed is a housing unit for housing the transceiver and the first power supply, wherein the housing unit plugs into a socket of the fluorescent fixture, and the opposite end of the housing, which is the repeater itself, is configured to accept a first fluorescent lamp, so that the repeater and the first fluorescent lamp, in conjunction with one another, replace a standard

fluorescent lamp, while maintaining the functionality of the fluorescent light fixture, as shown in Figure 5A.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George A. Bugg whose telephone number is (571) 272-2998. The examiner can normally be reached on Monday-Thursday 9:00-6:30, and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu can be reached on (571) 272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

George A Bugg Examiner Art Unit 2612

January 18, 2007

SUPERVISORY PATENT EXAMINER

01/21/07

Page 4